Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2004 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abatement and removal

Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

Agriculture

Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Algorithms

Irrigation Scheduling. II: Heuristics Approach. — Arif A. Anwar and Tonny T. de Vries; 130(1), 17-25 (2004).

Performance of Model Predictive Control on ASCE Test Canal 1. — Brian T. Wahlin; 130(3), 227-38 (2004).

Optimal Design of Composite Channels Using Genetic Algorithm. — Ashu Jain, Rajib Kumar Bhattacharjya, and Srinivasulu Sanaga; 130(4), 286-95 (2004).

Alluvial fans

Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Analytical techniques

Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).

Ramp Kernels for Aquifer Responses to Arbitrary Stream Stage. — Sushil K. Singh; 130(6), 460-7 (2004).

Aquifers

Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Ramp Kernels for Aquifer Responses to Arbitrary Stream Stage. — Sushil K. Singh; 130(6), 460-7 (2004).

Arid lands

Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Automation

Performance of Model Predictive Control on ASCE Test Canal 1. — Brian T. Wahlin; 130(3), 227-38 (2004).

Belgium

Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).

Bureau of Reclamation

History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Calibration

Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).

California

Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Canal design

Design of Minimum Seepage-Loss Nonpolygonal Canal Sections with Drainage Layer at Shallow Depth. — Prabhata K. Swamee and Deepak Kashyap; 130(2), 166-70 (2004).

Canals

Simple Optimal Downstream Feedback Canal Controllers: Theory. — A. J. Clemmens and J. Schuurmans; 130(1), 26-34 (2004).

Simple Optimal Downstream Feedback Canal Controllers: ASCE Test Case Results. — A. J. Clemmens and B. T. Wahlin; 130(1), 35-46 (2004).

Design of Minimum Seepage-Loss Nonpolygonal Canal Sections with Drainage Layer at Shallow Depth. — Prabhata K. Swamee and Deepak Kashyap; 130(2), 166-70 (2004).

Performance of Model Predictive Control on ASCE Test Canal 1. — Brian T. Wahlin; 130(3), 227-38 (2004).

Comparison of Genetic Algorithm and Linear Programming Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Catchments

Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).

Center-pivot irrigation

Economic Design of Center-Pivot Sprinkler Laterals. — John D. Valiantzas and Nicholas Dercas; 130(6), 491-8 (2004).

Channel design

Optimal Design of Composite Channels Using Genetic Algorithm. — Ashu Jain, Rajib Kumar Bhattacharjya, and Srinivasulu Sanaga; 130(4), 286-95 (2004).

Channel flow

Generalized Head-Discharge Equation for Flow over Sharp-Crested Inclined Inverted V-Notch Weir. — M. N. Shesha Prakash and A. V. Shivapur; 130(4), 325-30 (2004).

Hydraulics of Rectangular Dropshafts. — H. Chanson; 130(6), 523-9 (2004).

Chlorides

Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Clogging

Application of Conditioner Solution by Subsurface Emitters for Stabilizing the Surrounding Soil. — Avi Shaviv and Gideon Sinai; 130(6), 485-90 (2004).

Combined sewer overflow

Design and Hydraulics of a Combined Storm Overflow Structure. — Giuseppe Oliveto and Mauro Fiorentino; 130(4), 331-4 (2004).

Combined sewers

Design and Hydraulics of a Combined Storm Overflow Structure. — Giuseppe Oliveto and Mauro Fiorentino; 130(4), 331-4 (2004).

Comparative studies

Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).

Composite structures

Optimal Design of Composite Channels Using Genetic Algorithm. — Ashu Jain, Rajib Kumar Bhattacharjya, and Srinivasulu Sanaga; 130(4), 286-95 (2004).

Computation

Comparative Analysis of Hydraulic Calculation Methods in Design of Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 201-17 (2004).

Computer models

Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Control methods
Performance of Model Predictive Control on ASCE Test Canal 1. — Brian T. Wahlin; 130(3), 227-38 (2004).

Control systems
Simple Optimal Downstream Feedback Canal Controllers: Theory. — A. J. Clemmens and J. Schuurmans; 130(1), 26-34 (2004).
Simple Optimal Downstream Feedback Canal Controllers: ASCE Test Case Results. — A. J. Clemmens and B. T. Wahlin; 130(1), 35-46 (2004).

Conveyance structures
Hydrologic Impacts due to Changes in Conveyance and Conversion from Flood to Sprinkler Irrigation Practices. — Brian J. Venn, Drew W. Johnson, and Larry O. Pochop; 130(3), 192-200 (2004).

Cost control
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).

Costs
Performance of Low-Cost Ejectors. — Iran Eduardo Lima Neto and Rodrigo de Melo Porto; 130(2), 122-8 (2004).

Crop response
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Crop yield
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Crops
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).
Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Dam failure
Determination of Length of a Horizontal Drain in Homogeneous Earth Dams. — Bhagu R. Chahar; 130(6), 530-6 (2004).

Dams, earth
Determination of Length of a Horizontal Drain in Homogeneous Earth Dams. — Bhagu R. Chahar; 130(6), 530-6 (2004).

Dams, embankment
Determination of Length of a Horizontal Drain in Homogeneous Earth Dams. — Bhagu R. Chahar; 130(6), 530-6 (2004).

Data analysis
Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Denitrification
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Design
Analytical Relationships for Designing Rectangular Drip Irrigation Units. — Luís Juana, Alberto Losada, Leonor Rodríguez-Sinobas, and Raúl Sánchez; 130(1), 47-59 (2004).
Weighted Average Method for Land Grading Design. — Reza Ebne-Jalal; 130(3), 239-47 (2004).

Design criteria
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).
Experimental Analysis of Local Pressure Losses for Microirrigation Laterals. — Giuseppe Provenzano and Domenico Pumo; 130(4), 318-24 (2004).

Discharge coefficients
Generalized Head-Discharge Equation for Flow over Sharp-Crested Inclined Inverted V-Notch Weir. — M. N. Shesha Prakash and A. V. Shivapur; 130(4), 325-30 (2004).

Drainage
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).
Design of Minimum Seepage-Loss Nonpolygonal Canal Sections with Drainage Layer at Shallow Depth. — Prabhata K. Swamee and Deepak Kashyap; 130(2), 166-70 (2004).
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Drains
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Drip irrigation
Experimental Analysis of Local Pressure Losses for Microirrigation Laterals. — Giuseppe Provenzano and Domenico Pumo; 130(4), 318-24 (2004).

Earthworks
Weighted Average Method for Land Grading Design. — Reza Ebne-Jalal; 130(3), 239-47 (2004).

Economic factors
Economic Design of Center-Pivot Sprinkler Laterals. — John D. Valiantzas and Nicholas Dercas; 130(6), 491-8 (2004).

Ejectors
Performance of Low-Cost Ejectors. — Iran Eduardo Lima Neto and Rodrigo de Melo Porto; 130(2), 122-8 (2004).

Embankments
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).

Energy dissipation
Hydraulics of Rectangular Dropshafts. — H. Chanson; 130(6), 523-9 (2004).

Energy loss
Exact Solutions for Sequent Depths Problem. — Prabhata K. Swamee and Pushpa N. Rathie; 130(6), 520-2 (2004).

Environmental engineering
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).

Equation of motion
Direct Integration of the Equation of Gradually Varied Flow. — Maurizio Venutelli; 130(1), 88-91 (2004).

Estimation
Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).

Evapotranspiration
Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).
Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Feedback control
Performance of Model Predictive Control on ASCE Test Canal 1. — Brian T. Wahlin; 130(3), 227-38 (2004).

Fertilization
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Field tests
Simulation Model for Level Furrows. I: Analysis of Field Experiments. — E. Playán, J. A. Rodríguez, and P. García-Navarro; 130(2), 106-12 (2004).

Filters
Determination of Length of a Horizontal Drain in Homogeneous Earth Dams. — Bhagu R. Chahar; 130(6), 530-6 (2004).

Finite differences
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).

Finite element method
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Flood irrigation
Hydrologic Impacts due to Changes in Conveyance and Conversion from Flood to Sprinkler Irrigation Practices. — Brian J. Venn, Drew W. Johnson, and Larry O. Pochop; 130(3), 192-200 (2004).

Floods
Ramp Kernels for Aquifer Responses to Arbitrary Stream Stage. — Sushil K. Singh; 130(6), 460-7 (2004).

Flow measurement
Generalized Head-Discharge Equation for Flow over Sharp-Crested Inclined Inverted V-Notch Weir. — M. N. Shesha Prakash and A. V. Shivapur; 130(4), 325-30 (2004).

Flow rates
Hydraulics of Rectangular Dropshafts. — H. Chanson; 130(6), 523-9 (2004).

Friction
Economic Design of Center-Pivot Sprinkler Laterals. — John D. Valiantzas and Nicholas Dercas; 130(6), 491-8 (2004).

Furrow irrigation
Simulation Model for Level Furrows. I: Analysis of Field Experiments. — E. Playán, J. A. Rodríguez, and P. García-Navarro; 130(2), 106-12 (2004).
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).
Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).

Furrow systems
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).

Gates
Simple Optimal Downstream Feedback Canal Controllers: Theory. — A. J. Clemmens and J. Schuurmans; 130(1), 26-34 (2004).

Gradually varied flow
Direct Integration of the Equation of Gradually Varied Flow. — Maurizio Venutelli; 130(1), 88-91 (2004).
Parameter Estimation for Flow in Open-Channel Networks. — Amlan Das; 130(2), 160-5 (2004).

Grasses
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).

Ground water
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Ground-water flow
Ramp Kernels for Aquifer Responses to Arbitrary Stream Stage. — Sushil K. Singh; 130(6), 460-7 (2004).

Ground-water quality
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Head loss
Experimental Analysis of Local Pressure Losses for Microirrigation Laterals. — Giuseppe Provenzano and Domenico Pumo; 130(4), 318-24 (2004).

History
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Horizontal drains
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).
Determination of Length of a Horizontal Drain in Homogeneous Earth Dams. — Bhagu R. Chahar; 130(6), 530-6 (2004).

Hydraulic conductivity
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).
Wastewater Reuse Effects on Soil Hydraulic Conductivity. — Gaspare Viviani and Massimo Iovino; 130(6), 476-84 (2004).

Hydraulic design
Comparative Analysis of Hydraulic Calculation Methods in Design of Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 201-17 (2004).
Design and Hydraulics of a Combined Storm Overflow Structure. — Giuseppe Oliveto and Mauro Fiorentino; 130(4), 331-4 (2004).

Hydraulic jump
Exact Solutions for Sequent Depths Problem. — Prabhata K. Swamee and Pushpa N. Rathie; 130(6), 520-2 (2004).

Hydraulic models
Parameter Estimation for Muskingum Models. — Amlan Das; 130(2), 140-7 (2004).

Hydraulic networks
Linear Solution for Hydraulic Analysis of Tapered Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(1), 78-87 (2004).
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).
Parameter Estimation for Flow in Open-Channel Networks. — Amlan Das; 130(2), 160-5 (2004).

Hydraulic performance
Design and Hydraulics of a Combined Storm Overflow Structure. — Giuseppe Oliveto and Mauro Fiorentino; 130(4), 331-4 (2004).

Hydraulic structures
Exact Solutions for Sequent Depths Problem. — Prabhata K. Swamee and Pushpa N. Rathie; 130(6), 520-2 (2004).

Hydraulics
Hydraulics of Rectangular Dropshafts. — H. Chanson; 130(6), 523-9 (2004).

Hydrologic models
Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).

India
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).

Infiltration
Simulation Model for Level Furrows. I: Analysis of Field Experiments. — E. Playán, J. A. Rodríguez, and P. García-Navarro; 130(2), 106-12 (2004).
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).
Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).

Inflow
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Irrigation
Simple Optimal Downstream Feedback Canal Controllers: ASCE Test Case Results. — A. J. Clemmens and B. T. Wahlin; 130(1), 35-46 (2004).
Linear Solution for Hydraulic Analysis of Tapered Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(1), 78-87 (2004).
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).
Performance of Low-Cost Ejectors. — Iran Eduardo Lima Neto and Rodrigo de Melo Porto; 130(2), 122-8 (2004).
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).
Performance of Model Predictive Control on ASCE Test Canal 1. — Brian T. Wahlin; 130(3), 227-38 (2004).
Wastewater Reuse Effects on Soil Hydraulic Conductivity. — Gaspare Viviani and Massimo Iovino; 130(6), 476-84 (2004).

Irrigation efficiency
Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Irrigation practices
Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).

Irrigation scheduling
Irrigation Scheduling. I: Integer Programming Approach. — Tonny T. de Vries and Arif A. Anwar; 130(1), 9-16 (2004).

Irrigation Scheduling. II: Heuristics Approach. — Arif A. Anwar and Tonny T. de Vries; 130(1), 17-25 (2004).
Comparison of Genetic Algorithm and Linear Programming Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Irrigation systems
Irrigation Scheduling. I: Integer Programming Approach. — Tonny T. de Vries and Arif A. Anwar; 130(1), 9-16 (2004).
Comparative Analysis of Hydraulic Calculation Methods in Design of Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 201-17 (2004).
Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

Japan
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Land reclamation
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Laterals
Linear Solution for Hydraulic Analysis of Tapered Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(1), 78-87 (2004).

Linear programming
Irrigation Scheduling. I: Integer Programming Approach. — Tonny T. de Vries and Arif A. Anwar; 130(1), 9-16 (2004).
Comparison of Genetic Algorithm and Linear Programming Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Mexico
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).

Models
Irrigation Scheduling. I: Integer Programming Approach. — Tonny T. de Vries and Arif A. Anwar; 130(1), 9-16 (2004).

Nitrates
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Nonpoint pollution
Storm Flow from First-Flush Precipitation in Stormwater Design. — David P. Ahlfeld and Michele Minihane; 130(4), 269-76 (2004).

Open channel flow
Parameter Estimation for Flow in Open-Channel Networks. — Amlan Das; 130(2), 160-5 (2004).

Open channels
Direct Integration of the Equation of Gradually Varied Flow. — Maurizio Venutelli; 130(1), 88-91 (2004).

Optimization
Irrigation Scheduling. II: Heuristics Approach. — Arif A. Anwar and Tonny T. de Vries; 130(1), 17-25 (2004).
Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).
Optimal Design of Composite Channels Using Genetic Algorithm. — Ashu Jain, Rajib Kumar Bhattacharjya, and Srinivasulu Sanaga; 130(4), 286-95 (2004).
Comparison of Genetic Algorithm and Linear Programming Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Optimization models
Parameter Estimation for Flow in Open-Channel Networks. — Amlan Das; 130(2), 160-5 (2004).
Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Overland flow
Exact Solutions for Sequent Depths Problem. — Prabhata K. Swamee and Pushpa N. Rathie; 130(6), 520-2 (2004).

Parameters
Parameter Estimation for Muskingum Models. — Amlan Das; 130(2), 140-7 (2004).
Parameter Estimation for Flow in Open-Channel Networks. — Amlan Das; 130(2), 160-5 (2004).

Performance evaluation
Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).
Performance of Low-Cost Ejectors. — Iran Eduardo Lima Neto and Rodrigo de Melo Porto; 130(2), 122-8 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Pipe flow
Comparative Analysis of Hydraulic Calculation Methods in Design of Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 201-17 (2004).

Pipeline design
Experimental Analysis of Local Pressure Losses for Microirrigation Laterals. — Giuseppe Provenzano and Domenico Pumo; 130(4), 318-24 (2004).

Precipitation
Storm Flow from First-Flush Precipitation in Stormwater Design. — David P. Ahlfeld and Michele Minihane; 130(4), 269-76 (2004).

Railroad tracks
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).

Ramps
Ramp Kernels for Aquifer Responses to Arbitrary Stream Stage. — Sushil K. Singh; 130(6), 460-7 (2004).

Recirculation
Hydraulics of Rectangular Dropshafts. — H. Chanson; 130(6), 523-9 (2004).

Return flow
Hydrologic Impacts due to Changes in Conveyance and Conversion from Flood to Sprinkler Irrigation Practices. — Brian J. Venn, Drew W. Johnson, and Larry O. Pochop; 130(3), 192-200 (2004).

Routing
Parameter Estimation for Muskingum Models. — Amlan Das; 130(2), 140-7 (2004).

Runoff
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Sediment concentration
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Seepage control
Design of Minimum Seepage-Loss Nonpolygonal Canal Sections with Drainage Layer at Shallow Depth. — Prabhata K. Swamee and Deepak Kashyap; 130(2), 166-70 (2004).

Selenium
Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

Sharp-crested weirs
Generalized Head-Discharge Equation for Flow over Sharp-Crested Inclined Inverted V-Notch Weir. — M. N. Shesha Prakash and A. V. Shivapur; 130(4), 325-30 (2004).

Simulation
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Simulation models
Simulation Model for Level Furrows. I: Analysis of Field Experiments. — E. Playán, J. A. Rodríguez, and P. García-Navarro; 130(2), 106-12 (2004).
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).
Wastewater Reuse Effects on Soil Hydraulic Conductivity. — Gaspare Viviani and Massimo Iovino; 130(6), 476-84 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Slope stability
Determination of Length of a Horizontal Drain in Homogeneous Earth Dams. — Bhagu R. Chahar; 130(6), 530-6 (2004).

Slopes
Transition Effects in Flow Over Side Weirs. — Yilmaz Muslu, Ebubekir Yüksel, and Hasan Tozluk; 130(1), 92-5 (2004).
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).
Weighted Average Method for Land Grading Design. — Reza Ebne-Jalal; 130(3), 239-47 (2004).

Soil conditions
Application of Conditioner Solution by Subsurface Emitters for Stabilizing the Surrounding Soil. — Avi Shaviv and Gideon Sinai; 130(6), 485-90 (2004).

Soil stabilization
Application of Conditioner Solution by Subsurface Emitters for Stabilizing the Surrounding Soil. — Avi Shaviv and Gideon Sinai; 130(6), 485-90 (2004).

Soil water
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Soil water movement
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Spacing
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).

Spain
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).
Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).
Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).

Sprinkler irrigation
Hydrologic Impacts due to Changes in Conveyance and Conversion from Flood to Sprinkler Irrigation Practices. — Brian J. Venn, Drew W. Johnson, and Larry O. Pochop; 130(3), 192-200 (2004).
Economic Design of Center-Pivot Sprinkler Laterals. — John D. Valiantzas and Nicholas Dercas; 130(6), 491-8 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Statistical analysis
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).

Steady flow
Direct Integration of the Equation of Gradually Varied Flow. — Maurizio Venutelli; 130(1), 88-91 (2004).

Stilling basins
Exact Solutions for Sequent Depths Problem. — Prabhata K. Swamee and Pushpa N. Rathie; 130(6), 520-2 (2004).

Stones
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Stormwater management
Storm Flow from First-Flush Precipitation in Stormwater Design. — David P. Ahlfeld and Michele Minihane; 130(4), 269-76 (2004).

Streamflow
Parameter Estimation for Muskingum Models. — Amlan Das; 130(2), 140-7 (2004).
Ramp Kernels for Aquifer Responses to Arbitrary Stream Stage. — Sushil K. Singh; 130(6), 460-7 (2004).

Subirrigation
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Subsurface drainage
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Surface irrigation
Weighted Average Method for Land Grading Design. — Reza Ebne-Jalal; 130(3), 239-47 (2004).
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Texas
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Transformation
Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).

Trickle irrigation
Analytical Relationships for Designing Rectangular Drip Irrigation Units. — Luis Juana, Alberto Losada, Leonor Rodríguez-Sinobas, and Raúl Sánchez; 130(1), 47-59 (2004).
Comparative Analysis of Hydraulic Calculation Methods in Design of Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 201-17 (2004).
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).
Application of Conditioner Solution by Subsurface Emitters for Stabilizing the Surrounding Soil. — Avi Shaviv and Gideon Sinai; 130(6), 485-90 (2004).

Two-dimensional models
Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).

Uniformity
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Urban areas
Storm Flow from First-Flush Precipitation in Stormwater Design. — David P. Ahlfeld and Michele Minihane; 130(4), 269-76 (2004).

Vegetation
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Velocity
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Water allocation policy
Irrigation Scheduling. II: Heuristics Approach. — Arif A. Anwar and Tonny T. de Vries; 130(1), 17-25 (2004).

Water balance
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).

Water conservation
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Water demand
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).

Water distribution
Analytical Relationships for Designing Rectangular Drip Irrigation Units. — Luis Juana, Alberto Losada, Leonor Rodríguez-Sinobas, and Raúl Sánchez; 130(1), 47-59 (2004).
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).
Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tar-

juelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

Water flow

Simple Optimal Downstream Feedback Canal Controllers: Theory. — A. J. Clemmens and J. Schuurmans; 130(1), 26-34 (2004).

Transition Effects in Flow Over Side Weirs. — Yilmaz Muslu, Ebubekir Yüksel, and Hasan Tozluk; 130(1), 92-5 (2004).

Water levels

Simple Optimal Downstream Feedback Canal Controllers: Theory. — A. J. Clemmens and J. Schuurmans; 130(1), 26-34 (2004).

Simple Optimal Downstream Feedback Canal Controllers: ASCE Test Case Results. — A. J. Clemmens and B. T. Wahlin; 130(1), 35-46 (2004).

Water management

Comparison of Genetic Algorithm and Linear Programming Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Water pipelines

Linear Solution for Hydraulic Analysis of Tapered Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(1), 78-87 (2004).

Water policy

Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Water pollution

Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

Water resources management

Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Comparison of Genetic Algorithm and Linear Programming Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Water reuse

Wastewater Reuse Effects on Soil Hydraulic Conductivity. — Gaspare Viviani and Massimo Iovino; 130(6), 476-84 (2004).

Water surface

Transition Effects in Flow Over Side Weirs. — Yilmaz Muslu, Ebubekir Yüksel, and Hasan Tozluk; 130(1), 92-5 (2004).

Water treatment

Storm Flow from First-Flush Precipitation in Stormwater Design. — David P. Ahlfeld and Michele Minihane; 130(4), 269-76 (2004).

Water use

Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

Weirs

Transition Effects in Flow Over Side Weirs. — Yilmaz Muslu, Ebubekir Yüksel, and Hasan Tozluk; 130(1), 92-5 (2004).

Design and Hydraulics of a Combined Storm Overflow Structure. — Giuseppe Oliveto and Mauro Fiorentino; 130(4), 331-4 (2004).

Wetland

Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

Wind

Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).

Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Author Index

Agaccioglu, Hayrullah
Discharge Coefficient of a Triangular Side-Weir Located on a Curved Channel. — Ali Coşar and Hayrullah Agaccioglu; 130(5), 410-23 (2004).

Ağıralioğlu, Necati
Linear Solution for Hydraulic Analysis of Tapered Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(1), 78-87 (2004).
Comparative Analysis of Hydraulic Calculation Methods in Design of Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 201-17 (2004).
Discussion of "Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 248-52 (2004).
Discussion of "Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals" by Pedro Vallesquino and Pedro L. Luque-Escamilla. — Gürol Yıldırım and Necati Ağıralioğlu; 130(4), 335-9 (2004).
Discussion of "Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Gürol Yıldırım and Necati Ağıralioğlu; 130(4), 344-6 (2004).

Agrawal, M. K.
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).

Ahlfeld, David P.
Storm Flow from First-Flush Precipitation in Stormwater Design. — David P. Ahlfeld and Michele Minihane; 130(4), 269-76 (2004).

Allen, Richard G.
Closure to "History and Evaluation of Hargreaves Evapotranspiration Equation" by George H. Hargreaves and Richard G. Allen. — George H. Hargreaves and Richard G. Allen; 130(5), 448-9 (2004).

Anwar, Arif A.
Irrigation Scheduling. I: Integer Programming Approach. — Tonny T. de Vries and Arif A. Anwar; 130(1), 9-16 (2004).
Irrigation Scheduling. II: Heuristics Approach. — Arif A. Anwar and Tonny T. de Vries; 130(1), 17-25 (2004).
Closure to "Hydraulically Efficient Power-Law Channels" by Arif A. Anwar and Tonny T. de Vries. — Arif A. Anwar and Tonny T. de Vries; 130(5), 447 (2004).

Bhaktikul, Kampanad
Comparison of Genetic Algorithm and Linear Programming Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Bhallamudi, S. Murty
Gradually Varied Flow Computation in Cyclic Looped Channel Networks. — H. Prashanth Reddy and S. Murty Bhallamudi; 130(5), 424-31 (2004).

Bhattacharjya, Rajib Kumar
Optimal Design of Composite Channels Using Genetic Algorithm. — Ashu Jain, Rajib Kumar Bhattacharjya, and Srinivasulu Sanaga; 130(4), 286-95 (2004).

Camacho-Poyato, E.
Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Carrión Pérez, Pedro
Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

Cavero, J.
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Chahar, Bhagu R.
Determination of Length of a Horizontal Drain in Homogeneous Earth Dams. — Bhagu R. Chahar; 130(6), 530-6 (T) (2004).

Chanson, H.
Hydraulics of Rectangular Dropshafts. — H. Chanson; 130(6), 523-9 (2004).

Chow, Alex T.
Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

Clavero, N.
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).

Clemmens, A. J.
Simple Optimal Downstream Feedback Canal Controllers: Theory. — A. J. Clemmens and J. Schuurmans; 130(1), 26-34 (2004).
Simple Optimal Downstream Feedback Canal Controllers: ASCE Test Case Results. — A. J. Clemmens and B. T. Wahlin; 130(1), 35-46 (2004).

Colomer, M. Angeles
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).

Coşar, Ali
Discharge Coefficient of a Triangular Side-Weir Located on a Curved Channel. — Ali Coşar and Hayrullah Agaccioglu; 130(5), 410-23 (2004).

Cristóbal-Acevedo, David
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).

Cummins, Billy
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Das, Amlan
Parameter Estimation for Muskingum Models. — Amlan Das; 130(2), 140-7 (2004).
Parameter Estimation for Flow in Open-Channel Networks. — Amlan Das; 130(2), 160-5 (2004).

Dechmi, F.
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

De Juan Valero, Jose Arturo
Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

De Martino, Flavio
Closure to "Drop in Combined Sewer Manhole for Supercritical Flow" by Flavio De Martino, Corrado Gisonni, and Willi H. Hager. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 130(2), 172 (2004).

de Melo Porto, Rodrigo
Performance of Low-Cost Ejectors. — Iran Eduardo Lima Neto and Rodrigo de Melo Porto; 130(2), 122-8 (2004).

Dercas, Nicholas
Economic Design of Center-Pivot Sprinkler Laterals. — John D. Valiantzas and Nicholas Dercas; 130(6), 491-8 (2004).

de Vries, Tonny T.
Irrigation Scheduling. I: Integer Programming Approach. — Tonny T. de Vries and Arif A. Anwar; 130(1), 9-16 (2004).
Irrigation Scheduling. II: Heuristics Approach. — Arif A. Anwar and Tonny T. de Vries; 130(1), 17-25 (2004).

Closure to "Hydraulically Efficient Power-Law Channels" by Arif A. Anwar and Tonny T. de Vries. — Arif A. Anwar and Tonny T. de Vries; 130(5), 447 (2004).

Ebne-Jalal, Reza
Weighted Average Method for Land Grading Design. — Reza Ebne-Jalal; 130(3), 239-47 (2004).

Evett, S. R.
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Faci, J. M.
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Feyen, J.
Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).

Fiorentino, Mauro
Design and Hydraulics of a Combined Storm Overflow Structure. — Giuseppe Oliveto and Mauro Fiorentino; 130(4), 331-4 (2004).

Fogg, Graham E.
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Fromion, V.
Simplified Modeling of Irrigation Canals for Controller Design. — X. Litrico and V. Fromion; 130(5), 373-83 (2004).

Gao, Suduan
Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

García-Navarro, P.
Simulation Model for Level Furrows. I: Analysis of Field Experiments. — E. Playán, J. A. Rodríguez, and P. García-Navarro; 130(2), 106-12 (2004).
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).

Gargano, Rudy
Discussion of "Drop in Combined Sewer Manhole for Supercritical Flow" by Flavio De Martino, Corrado Gisonni, and Willi H. Hager. — Rudy Gargano; 130(2), 171-2 (2004).

Giráldez, J. V.
Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).

Gisonni, Corrado
Closure to "Drop in Combined Sewer Manhole for Supercritical Flow" by Flavio De Martino, Corrado Gisonni, and Willi H. Hager. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 130(2), 172 (2004).

Gyasi-Agyei, Yeboah
Cost-Effective Temporary Microirrigation System for Grass Establishment on Environmentally Sensitive Steep Slopes. — Yeboah Gyasi-Agyei; 130(3), 218-26 (2004).

Hager, Willi H.
Closure to "Drop in Combined Sewer Manhole for Supercritical Flow" by Flavio De Martino, Corrado Gisonni, and Willi H. Hager. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 130(2), 172 (2004).

Hargreaves, George H.
Discussion of "A Paradigm Shift in Irrigation Management" by Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman. — George H. Hargreaves; 130(1), 96-8 (2004).
Closure to "History and Evaluation of Hargreaves Evapotranspiration Equation" by George H. Hargreaves and Richard G. Allen. — George H. Hargreaves and Richard G. Allen; 130(5), 448-9 (2004).

Higashiura, Masao
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Howell, T. A.
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Iida, Toshiaki
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Iovino, Massimo
Wastewater Reuse Effects on Soil Hydraulic Conductivity. — Gaspare Viviani and Massimo Iovino; 130(6), 476-84 (2004).

Jain, Ashu
Optimal Design of Composite Channels Using Genetic Algorithm. — Ashu Jain, Rajib Kumar Bhattacharjya, and Srinivasulu Sanaga; 130(4), 286-95 (2004).

Jia, X.
Temperature Adjustment for Reference Evapotranspiration Calculation in Central Arizona. — X. Jia, E. C. Martin, and D. C. Slack; 130(5), 384-90 (2004).

Johnson, Drew W.
Hydrologic Impacts due to Changes in Conveyance and Conversion from Flood to Sprinkler Irrigation Practices. — Brian J. Venn, Drew W. Johnson, and Larry O. Pochop; 130(3), 192-200 (2004).

Juana, L.
Closure to "Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — L. Juana, L. Rodríguez-Sinobas, and A. Losada; 130(3), 255-6 (2004).

Juana, Luís
Analytical Relationships for Designing Rectangular Drip Irrigation Units. — Luís Juana, Alberto Losada, Leonor Rodríguez-Sinobas, and Raúl Sánchez; 130(1), 47-59 (2004).

Juana, Luis
Closure to "Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 130(4), 346 (2004).

Kacimov, A. R.
Capillary Fringe and Unsaturated Flow in a Porous Reservoir Bank. — A. R. Kacimov; 130(5), 403-9 (2004).

Kacimov, Anvar R.
Discussion of "Hydraulically Efficient Power-Law Channels" by Arif A. Anwar and Tonny T. de Vries. — Anvar R. Kacimov; 130(5), 445-6 (2004).

Kajihara, Akihiko
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Karamouz, Mohammad
Monthly Water Resources and Irrigation Planning: Case Study of Conjunctive Use of Surface and Groundwater Resources. — Mohammad Karamouz, Reza Kerachian, and Banafsheh Zahraie; 130(5), 391-402 (2004).

Kashyap, Deepak
Design of Minimum Seepage-Loss Nonpolygonal Canal Sections with Drainage Layer at Shallow Depth. — Prabhata K. Swamee and Deepak Kashyap; 130(2), 166-70 (2004).

Katibeh, Homayoon
Seepage from Lined Canal Using Finite-Element Method. — Homayoon Katibeh; 130(5), 441-4 (T) (2004).

Kerachian, Reza
Monthly Water Resources and Irrigation Planning: Case Study of Conjunctive Use of Surface and Groundwater Resources. — Mohammad Karamouz, Reza Kerachian, and Banafsheh Zahraie; 130(5), 391-402 (2004).

Landeros-Sánchez, Cesáreo
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).

Lima Neto, Iran Eduardo
Performance of Low-Cost Ejectors. — Iran Eduardo Lima Neto and Rodrigo de Melo Porto; 130(2), 122-8 (2004).

Litrico, X.
Simplified Modeling of Irrigation Canals for Controller Design. — X. Litrico and V. Fromion; 130(5), 373-83 (2004).

López-Luque, R.
Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Losada, A.
Closure to "Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — L. Juana, L. Rodríguez-Sinobas, and A. Losada; 130(3), 255-6 (2004).

Losada, Alberto
Analytical Relationships for Designing Rectangular Drip Irrigation Units. — Luís Juana, Alberto Losada, Leonor Rodríguez-Sinobas, and Raúl Sánchez; 130(1), 47-59 (2004).
Closure to "Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 130(4), 346 (2004).

Luque-Escamilla, Pedro L.
Closure to "Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals" by Pedro Vallesquino and Pedro L. Luque-Escamilla. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 130(4), 341-4 (2004).

Maheshwari, Basant
Review of *Environmental Impacts for Water Resources Planning*. — Basant Maheshwari; 130(4), 348 (2004).

Mailhol, J.-C.
Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).

Mariño, Miguel A.
Use of Genetic Algorithm in Optimization of Irrigation Pumping Stations. — Mahdi Moradi-Jalal, Sergey I. Rodin, and Miguel A. Mariño; 130(5), 357-65 (2004).

Martin, E. C.
Temperature Adjustment for Reference Evapotranspiration Calculation in Central Arizona. — X. Jia, E. C. Martin, and D. C. Slack; 130(5), 384-90 (2004).

Martínez-Cob, A.
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Minihane, Michele
Storm Flow from First-Flush Precipitation in Stormwater Design. — David P. Ahlfeld and Michele Minihane; 130(4), 269-76 (2004).

Mishra, P. K.
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Monserrat, Joaquín
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).

Mora, Francesc
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).

Moradi-Jalal, Mahdi
Use of Genetic Algorithm in Optimization of Irrigation Pumping Stations. — Mahdi Moradi-Jalal, Sergey I. Rodin, and Miguel A. Mariño; 130(5), 357-65 (2004).

Muslu, Yilmaz
Transition Effects in Flow Over Side Weirs. — Yilmaz Muslu, Ebubekir Yüksel, and Hasan Tozluk; 130(1), 92-5 (2004).

Nakagawa, Hidetoshi
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Narsimlu, B.
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Nikolskii-Gavrilov, Iourii
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).

Okubo, Hiroshi
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Oliveto, Giuseppe
Design and Hydraulics of a Combined Storm Overflow Structure. — Giuseppe Oliveto and Mauro Fiorentino; 130(4), 331-4 (2004).

Ortega Álvarez, Jose Fernando
Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

Palacios-Vélez, Oscar L.
Application of Two Drain Spacing Formula for Mexico's Humid Tropical Zone. — Oscar L. Palacios-Vélez, David Cristóbal-Acevedo, Iourii Nikolskii-Gavrilov, and Cesáreo Landeros-Sánchez; 130(1), 70-7 (2004).

Panda, Sudhindra Nath
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).

Panigrahi, B.
Modeling Water Balance Parameters for Rainfed Rice. — M. K. Agrawal, Sudhindra Nath Panda, and B. Panigrahi; 130(2), 129-39 (2004).

Playán, E.
Simulation Model for Level Furrows. I: Analysis of Field Experiments. — E. Playán, J. A. Rodríguez, and P. García-Navarro; 130(2), 106-12 (2004).
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. I: Model Development. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 499-510 (2004).
Coupled Crop and Solid Set Sprinkler Simulation Model. II: Model Application. — F. Dechmi, E. Playán, J. Cavero, A. Martínez-Cob, and J. M. Faci; 130(6), 511-9 (2004).

Poch, Ricard
Analysis of Clément's First Formula for Irrigation Distribution Networks. — Joaquín Monserrat, Ricard Poch, M. Angeles Colomer, and Francesc Mora; 130(2), 99-105 (2004).

Pochop, Larry O.
Hydrologic Impacts due to Changes in Conveyance and Conversion from Flood to Sprinkler Irrigation Practices. — Brian J. Venn, Drew W. Johnson, and Larry O. Pochop; 130(3), 192-200 (2004).

Prakash, M. N. Shesha
Generalized Head-Discharge Equation for Flow over Sharp-Crested Inclined Inverted V-Notch Weir. — M. N. Shesha Prakash and A. V. Shivapur; 130(4), 325-30 (2004).

Provenzano, Giuseppe
Discussion of "Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Giuseppe Provenzano; 130(3), 253-4 (2004).
Experimental Analysis of Local Pressure Losses for Microirrigation Laterals. — Giuseppe Provenzano and Domenico Pumo; 130(4), 318-24 (2004).

Pumo, Domenico
Experimental Analysis of Local Pressure Losses for Microirrigation Laterals. — Giuseppe Provenzano and Domenico Pumo; 130(4), 318-24 (2004).

Purkey, David R.
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Qu, Junying
End Depth–Discharge Relation at Free Overfall of Trapezoidal Channels. — A. S. Ramamurthy, Chao Zhai, and Junying Qu; 130(5), 432-6 (2004).

Ramamurthy, A. S.
End Depth–Discharge Relation at Free Overfall of Trapezoidal Channels. — A. S. Ramamurthy, Chao Zhai, and Junying Qu; 130(5), 432-6 (2004).

Rao, B. Venkateswara
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Rao, K. V.
Effect of Covers for Soil and Water Conservation Using Tilting Flume. — B. Narsimlu, B. Venkateswara Rao, P. K. Mishra, and K. V. Rao; 130(2), 154-9 (2004).

Rathie, Pushpa N.
Exact Solutions for Sequent Depths Problem. — Prabhata K. Swamee and Pushpa N. Rathie; 130(6), 520-2 (2004).

Reddy, H. Prashanth
Gradually Varied Flow Computation in Cyclic Looped Channel Networks. — H. Prashanth Reddy and S. Murty Bhallamudi; 130(5), 424-31 (2004).

Ritter, William F.
Review of *The Watershed Project Management Guide* by Thomas E. Davenport. — William F. Ritter; 130(2), 173 (2004).

Rodin, Sergey I.
Use of Genetic Algorithm in Optimization of Irrigation Pumping Stations. — Mahdi Moradi-Jalal, Sergey I. Rodin, and Miguel A. Mariño; 130(5), 357-65 (2004).

Rodríguez, J. A.
Simulation Model for Level Furrows. I: Analysis of Field Experiments. — E. Playán, J. A. Rodríguez, and P. García-Navarro; 130(2), 106-12 (2004).

Rodríguez-Díaz, J. A.
Application of Data Envelopment Analysis to Studies of Irrigation Efficiency in Andalusia. — J. A. Rodríguez-Díaz, E. Camacho-Poyato, and R. López-Luque; 130(3), 175-83 (2004).

Rodríguez-Sinobas, L.
Closure to "Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — L. Juana, L. Rodríguez-Sinobas, and A. Losada; 130(3), 255-6 (2004).

Rodríguez-Sinobas, Leonor
Analytical Relationships for Designing Rectangular Drip Irrigation Units. — Luís Juana, Alberto Losada, Leonor Rodríguez-Sinobas, and Raúl Sánchez; 130(1), 47-59 (2004).
Closure to "Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 130(4), 346 (2004).

Samani, Zohrab
Discussion of "History and Evaluation of Hargreaves Evapotranspiration Equation"by George H. Hargreaves and Richard G. Allen. — Zohrab Samani; 130(5), 447-8 (2004).

Sanaga, Srinivasulu
Optimal Design of Composite Channels Using Genetic Algorithm. — Ashu Jain, Rajib Kumar Bhattacharjya, and Srinivasulu Sanaga; 130(4), 286-95 (2004).

Sánchez, A.
Simulation Model for Level Furrows. II: Description, Validation, and Application. — P. García-Navarro, A. Sánchez, N. Clavero, and E. Playán; 130(2), 113-21 (2004).

Sánchez, Raúl
Analytical Relationships for Designing Rectangular Drip Irrigation Units. — Luís Juana, Alberto Losada, Leonor Rodríguez-Sinobas, and Raúl Sánchez; 130(1), 47-59 (2004).

Sanders, Glen D.
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Schmitz, G. H.
Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).
Physically Based Modeling of Interacting Surface–Subsurface Flow During Furrow Irrigation Advance. — Th. Wöhling, R. Singh, and G. H. Schmitz; 130(5), 349-56 (2004).

Schneider, A. D.
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Schuurmans, J.
Simple Optimal Downstream Feedback Canal Controllers: Theory. — A. J. Clemmens and J. Schuurmans; 130(1), 26-34 (2004).

Shaviv, Avi
Application of Conditioner Solution by Subsurface Emitters for Stabilizing the Surrounding Soil. — Avi Shaviv and Gideon Sinai; 130(6), 485-90 (2004).

Shivapur, A. V.
Generalized Head-Discharge Equation for Flow over Sharp-Crested Inclined Inverted V-Notch Weir. — M. N. Shesha Prakash and A. V. Shivapur; 130(4), 325-30 (2004).

Shouse, P. J.
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Šimůnek, J.
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Sinai, Gideon
Application of Conditioner Solution by Subsurface Emitters for Stabilizing the Surrounding Soil. — Avi Shaviv and Gideon Sinai; 130(6), 485-90 (2004).

Singh, R.
Physically Based Modeling of Interacting Surface–Subsurface Flow During Furrow Irrigation Advance. — Th. Wöhling, R. Singh, and G. H. Schmitz; 130(5), 349-56 (2004).

Singh, Sushil K.
Ramp Kernels for Aquifer Responses to Arbitrary Stream Stage. — Sushil K. Singh; 130(6), 460-7 (2004).

Singh, V. P.
Explicit Design of Commercial Pipes with No Secondary Losses. — D. H. Yoo and V. P. Singh; 130(5), 437-40 (T) (2004).

Sivakumar, Bellie
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Skaggs, T. H.
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Slack, D. C.
Temperature Adjustment for Reference Evapotranspiration Calculation in Central Arizona. — X. Jia, E. C. Martin, and D. C. Slack; 130(5), 384-90 (2004).

Swamee, Prabhata K.
Design of Minimum Seepage-Loss Nonpolygonal Canal Sections with Drainage Layer at Shallow Depth. — Prabhata K. Swamee and Deepak Kashyap; 130(2), 166-70 (2004).
Exact Solutions for Sequent Depths Problem. — Prabhata K. Swamee and Pushpa N. Rathie; 130(6), 520-2 (2004).

Tanji, Kenneth K.
Modeling Drainwater Selenium Removal in Wetlands. — Alex T. Chow, Kenneth K. Tanji, and Suduan Gao; 130(1), 60-9 (2004).

Tarjuelo Martin-Benito, José María
Uniformity Distribution and its Economic Effect on Irrigation Management in Semiarid Zones. — Jose Fernando Ortega Álvarez, José María Tarjuelo Martin-Benito, Jose Arturo De Juan Valero, and Pedro Carrión Pérez; 130(4), 257-68 (2004).

TeKrony, Rodney G.
History of Drainage in the Bureau of Reclamation. — Rodney G. TeKrony, Glen D. Sanders, and Billy Cummins; 130(2), 148-53 (2004).

Tolk, J. A.
Evapotranspiration of Full-, Deficit-Irrigated, and Dryland Cotton on the Northern Texas High Plains. — T. A. Howell, S. R. Evett, J. A. Tolk, and A. D. Schneider; 130(4), 277-85 (2004).

Tozluk, Hasan
Transition Effects in Flow Over Side Weirs. — Yilmaz Muslu, Ebubekir Yüksel, and Hasan Tozluk; 130(1), 92-5 (2004).

Trout, T. J.
Comparison of HYDRUS-2D Simulations of Drip Irrigation with Experimental Observations. — T. H. Skaggs, T. J. Trout, J. Šimůnek, and P. J. Shouse; 130(4), 304-10 (2004).

Valiantzas, John D.
Discussion of "Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals" by Pedro Vallesquino and Pedro L. Luque-Escamilla. — John D. Valiantzas; 130(4), 339-40 (2004).
Economic Design of Center-Pivot Sprinkler Laterals. — John D. Valiantzas and Nicholas Dercas; 130(6), 491-8 (2004).

Vallesquino, Pedro
Closure to "Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals" by Pedro Vallesquino and Pedro L. Luque-Escamilla. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 130(4), 341-4 (2004).

Vanderlinden, Karl
Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).

Van Meirvenne, M.
Assessing Reference Evapotranspiration by the Hargreaves Method in Southern Spain. — Karl Vanderlinden, J. V. Giráldez, and M. Van Meirvenne; 130(3), 184-91 (2004).

Vázquez, R. F.
Potential Evapotranspiration for the Distributed Modeling of Belgian Catchments. — R. F. Vázquez and J. Feyen; 130(1), 1-8 (2004).

Venn, Brian J.
Hydrologic Impacts due to Changes in Conveyance and Conversion from Flood to Sprinkler Irrigation Practices. — Brian J. Venn, Drew W. Johnson, and Larry O. Pochop; 130(3), 192-200 (2004).

Venutelli, Maurizio
Direct Integration of the Equation of Gradually Varied Flow. — Maurizio Venutelli; 130(1), 88-91 (2004).

Viviani, Gaspare
Wastewater Reuse Effects on Soil Hydraulic Conductivity. — Gaspare Viviani and Massimo Iovino; 130(6), 476-84 (2004).

Wahlin, B. T.
Simple Optimal Downstream Feedback Canal Controllers: ASCE Test Case Results. — A. J. Clemmens and B. T. Wahlin; 130(1), 35-46 (2004).

Wahlin, Brian T.
Performance of Model Predictive Control on ASCE Test Canal 1. — Brian T. Wahlin; 130(3), 227-38 (2004).

Wallender, Wesley W.
Describing Near Surface, Transient Flow Processes in Unconfined Aquifers below Irrigated Lands: Model Application in the Western San Joaquin Valley, California. — David R. Purkey, Wesley W. Wallender, Graham E. Fogg, and Bellie Sivakumar; 130(6), 451-9 (2004).

Wardlaw, Robin
Comparison of Genetic Algorithm and Linear Programming -Approaches for Lateral Canal Scheduling. — Robin Wardlaw and Kampanad Bhaktikul; 130(4), 311-7 (2004).

Wichelns, Dennis
New Policies are Needed to Encourage Improvements in Irrigation Management. — Dennis Wichelns; 130(5), 366-72 (2004).

Wöhling, Th.
Modeling Two-Dimensional Infiltration from Irrigation Furrows. — Th. Wöhling, G. H. Schmitz, and J.-C. Mailhol; 130(4), 296-303 (2004).
Physically Based Modeling of Interacting Surface–Subsurface Flow During Furrow Irrigation Advance. — Th. Wöhling, R. Singh, and G. H. Schmitz; 130(5), 349-56 (2004).

Yıldırım, Gürol
Linear Solution for Hydraulic Analysis of Tapered Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(1), 78-87 (2004).
Comparative Analysis of Hydraulic Calculation Methods in Design of Microirrigation Laterals. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 201-17 (2004).
Discussion of "Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Gürol Yıldırım and Necati Ağıralioğlu; 130(3), 248-52 (2004).
Discussion of "Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals" by Pedro Vallesquino and Pedro L. Luque-Escamilla. — Gürol Yıldırım and Necati Ağıralioğlu; 130(4), 335-9 (2004).
Discussion of "Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation" by Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada. — Gürol Yıldırım and Necati Ağıralioğlu; 130(4), 344-6 (2004).

Yokoyama, Takao
Spatial Distribution of Ions in Groundwater under Agricultural Land. — Toshiaki Iida, Masao Higashiura, Takao Yokoyama, Hiroshi Okubo, Hidetoshi Nakagawa, and Akihiko Kajihara; 130(6), 468-75 (2004).

Yoo, D. H.
Explicit Design of Commercial Pipes with No Secondary Losses. — D. H. Yoo and V. P. Singh; 130(5), 437-40 (T) (2004).

Yüksel, Ebubekir
Transition Effects in Flow Over Side Weirs. — Yilmaz Muslu, Ebubekir Yüksel, and Hasan Tozluk; 130(1), 92-5 (2004).

Zahraie, Banafsheh
Monthly Water Resources and Irrigation Planning: Case Study of Conjunctive Use of Surface and Groundwater Resources. — Mohammad Karamouz, Reza Kerachian, and Banafsheh Zahraie; 130(5), 391-402 (2004).

Zhai, Chao
End Depth–Discharge Relation at Free Overfall of Trapezoidal Channels. — A. S. Ramamurthy, Chao Zhai, and Junying Qu; 130(5), 432-6 (2004).